2013 COLLECTION

Vertigo

KitchenAid

BUILT-IN
INTEGRATED
FREESTANDING

Vertigo

KitchenAid

GRANDNESS, INSIDE AND OUTSIDE.

IF YOU'RE PASSIONATE ABOUT COOKING,
YOU KNOW THAT THE FINEST FOOD STARTS WITH GREAT INGREDIENTS.

You choose them with care and preserve them in ideal conditions so they stay as fresh as just bought and keep all their quality, flavour and texture. *That is why KitchenAid brings you the latest in refrigerators and wine cellars which offer you excellent preservation conditions and flexibility whilst also meeting all your design and installation requirements.*

BUILT-IN

Enjoy the sleek look of a product that blends seamlessly with your kitchen cabinetry.

VERSATILE, JUST LIKE YOUR NEED OF SPACE.

Vertigo refrigerators and wine cellars are ***specially designed to guarantee all the space you need.***

Not only do the shelves easily adjust to whatever height you want to make the best use of the space, but you can also completely reorganise your refrigerator to meet your specific requirements by customising the large multipurpose bottom drawer compartment.

Vertigo's incredible versatility enables you to use this space in fridge, freezer or Dynamic 0° mode, the special function created especially for preserving fresh foods and speciality ingredients.

The wine cellars provide extensive shelving for up to 81 bottles of your precious collection of vintage wines.

But it's not only quantity that matters so we also looked after all the quality aspects. Controlled temperature and adjusted humidity are essential to maintaining freshness and flavour, so fridges and wine cellars are equipped with smart features to preserve, chill and freeze with the utmost care.

INTEGRATED

Giving you the best of both worlds:
fully flush installation combined with the robustness of stainless steel doors.

BUILT TO YOUR PREFERRED COMBINATION.

In addition to fulfilling all your preservation needs, ***we've also taken care of every requirement on the configuration side.***

KitchenAid offers you the opportunity to custom design your own kitchen space: double fridge, single wine cellar, fridge and wine cellar combination... built to your preferred combination.

Not only do all these units come as freestanding models but thanks to dual movement hinges you can also opt for completely flush integrated or built-in installation, giving you absolute freedom when designing your ideal kitchen.

We think you'll agree we've incorporated all the right ingredients. All you need to do is add yours.

FREE STANDING

The integrated version can be covered with a stainless steel shell kit to become an elegant, full-metal freestanding feature.

FEATURES

MULTI-TEMPERATURE DRAWER.

Fridge, Dynamic 0° or Freezer: the Vertigo Access menu gives you the freedom to choose how you use the Multi-Temperature Drawer. The Multi-Temperature Drawer can be used as additional fridge space, or switched to Dynamic 0° mode to give you more room for your freshest produce and specialty ingredients.

It also functions as a freezer for storing your frozen goods or freezing your favourite homemade dishes so they are always ready when needed.

DYNAMIC 0°.

Dynamic 0° is a double drawer compartment that guarantees all your fresh produce, meats, fish and dairy products are perfectly preserved in the optimum environment.

It offers the best possible conditions for specialty cheeses and succulent filet mignon steaks, while keeping crispy salads crisper and leafy vegetables as fresh as the day they were bought.

Low temperatures in combination with correct humidity levels slow down the proliferation of bacteria and decay and prevent fresh foods losing moisture, keeping everything fresher for longer. Just select a temperature between -2 and +2 degrees for the drawers, and the humidity level in the compartment is automatically adjusted accordingly.

EASILY ADJUSTABLE SHELVES.

Creating and managing space in your refrigerator has never been easier.
Vertigo's compartments and shelves offer unrivalled flexibility and adapt to the individual needs of every creative cook.
Immediately find all the room you need for a big weekly shop, bulky items or platters of gourmet delights for a dinner party: the shelves can be conveniently split and individually adjusted to any height, transforming the interior into a well-organised, versatile space that's wonderfully practical and designed for all your needs.

DUAL-MOVEMENT HINGES.

Patented dual-movement hinges combine technological innovation and design. These dual-movement hinges guarantee unlimited flexibility when designing your kitchen as every Vertigo model fits flush with cabinetry and countertops to ensure a sleek, luxurious finish.
A fridge door is opened and closed countless times over the years. At KitchenAid we understand your need for a product that can stand the test of time so each hinge has a self-balancing movement for guaranteed stability and long-lasting premium performance.

AUTOMATIC ICE MAKER.

Every model in the Vertigo cooling range is equipped with a fully automatic Ice Maker, connected directly to the water supply, and an integrated water filtering system that guarantees your ice cubes are always completely odourless and tasteless.

FEATURES



LED LIGHTING.

Creating an enhanced sense of space, the strategically-placed LED lights ensure you find what you're looking for with maximum illumination and minimum energy consumption.

EVEN AIRFLOW SYSTEM.

Vertigo's Even Airflow System distributes the cold air evenly to guarantee independent ventilation in each compartment. This ensures uniform temperatures throughout the compartments, creating the ideal environment for better food preservation.

SOFT CLOSING SYSTEMS.

All Vertigo drawers close silently and softly every time with just a gentle touch.

TOTAL NO FROST.

Vertigo's Total No Frost system is completely automatic so you no longer need to defrost the fridge, Dynamic 0° compartment or multi-temperature drawer. Total No Frost also rapidly cools the fridge so it returns to normal operating temperature even faster after the door has been opened.

FAST COOLING & FREEZING.

When you return from the weekly shop you want to chill your groceries fast to keep them fresher for longer. The special Shopping function lowers the temperature at the touch of a button, ensuring that any large quantities of items are safely and quickly cooled to just the right temperature.

Craftsmanship, into every detail.

FEATURES

PRESERVE & AGE RED WINE.

Vertigo offers so much more than a simple wine cooler. With precision temperature and humidity control, the compartment is suitable for preserving and ageing fine red wines.
It provides the ideal conditions for corks and allows your precious vintages to develop to their full potential, just as if they were stored in your own underground cellar.

ANTI-VIBRATION SYSTEM.

Effective compressor insulation guarantees full protection from vibration.
Vertigo's anti-vibration system minimises any movement, creating the safest environment for even the most delicate bottles so you can preserve them to be enjoyed at your leisure whatever the occasion.



THREE LAYERS OF PROTECTION.

Vertigo Wine Cellars feature a triple-glazed door with bronzed glass to guarantee maximum protection from harmful UV rays and any sudden changes in ambient temperature.
The three layers of protection give you peace of mind knowing that nothing will affect the quality and flavour of your wine.

Vertigo's Preserve & Age Red Wine compartment provides ideal conditions for corks and allows your precious vintages to develop to their full potential.

VERTIGO RANGE BUILT-IN



FRIDGE 90CM
Dynamic 0° Compartment

Left Hinge KRXB 9031 L
Right Hinge KRXB 9031



FRIDGE 90CM

Left Hinge KRXB 9011 L
Right Hinge KRXB 9011



WINE CELLAR 90CM

Left Hinge KRVB 9031 L

WINE CELLAR 60CM

Left Hinge KRVB 6031 L
Right Hinge KRVB 6031

Lateral linking kit included in the product. | Central Linking Kit KABI 0010

INTEGRATED



BOTTOM MOUNT 90CM
Dynamic 0° Compartment

PRO AESTHETIC
Left Hinge KRXF 9030 L
Right Hinge KRXF 9030

DESIGN AESTHETIC
Left Hinge KRXF 9035 L
Right Hinge KRXF 9035

BOTTOM MOUNT 90CM

PRO AESTHETIC
Left Hinge KRXF 9010 L
Right Hinge KRXF 9010

DESIGN AESTHETIC
Left Hinge KRXF 9015 L
Right Hinge KRXF 9015

WINE CELLAR 90CM

PRO AESTHETIC
Left Hinge KRVF 9030 L

DESIGN AESTHETIC
Left Hinge KRVF 9035 L

WINE CELLAR 60CM

PRO AESTHETIC
Left Hinge KRVF 6030 L
Right Hinge KRVF 6030

DESIGN AESTHETIC
Left Hinge KRVF 6035 L
Right Hinge KRVF 6035

Lateral linking kit included in the product. | Central Linking Kit KAPI 0020

FREE STANDING SHELL KITS*

60CM
KARV 0060

90CM
KARV 0090

90CM+60CM
KARV 9060

90CM+90CM
KARV 9090

* Used in combination with Integrated products. Requires fixing into the wall.

TECHNICAL SPECIFICATIONS BUILT-IN

BUILT-IN		60cm Wine Cellar - Built-In KRVB 6031	60cm Wine Cellar - Built-In KRVB 6031 L	90cm Wine Cellar - Built-In KRVB 9031 L	90cm Bottom Mount - Built-In KRXB 9031	90cm Bottom Mount - Built-In KRXB 9031 L	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011 L
Configuration	Multi-Temperature Drawer Capacity (l)	55	55	96	96	96	96	96
	Wine Cellar/Fridge Capacity (liter/bottle)	147/30	147/30	220/54	220/-	220/-	360/-	360/-
	Dynamic 0° Compartment (l)	-	-	-	113	113	-	-
	Preserve & Age Red Wine Cell (liter/bottle)	73/15	73/15	113/27	-	-	-	-
	Dual Movement Hinges	yes	yes	yes	yes	yes	yes	yes
	Door Hinges	right	left	left	right	left	right	left
	Ice Maker	-	-	-	yes	yes	yes	yes
	Cavity Material	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white
	Energy Class	A+	A+	A+	A+	A+	A+	A+
	Star Rating	4	4	4	4	4	4	4
	Climatic Class	SN/T	SN/T	SN/T	SN/T	SN/T	SN/T	SN/T
	Gas Type	R600a	R600a	R600a	R600a	R600a	R600a	R600a
Cooling & Freezing Functions	Refrigerator Temperature Range (°C)	4/12	4/12	4/12	2/8	2/8	2/8	2/8
	Multi-Temperature Drawer Freezer Function Temp. Range (°C)	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15
	Multi-Temperature Drawer Refrigerator Function Temp. Range (°C)	2/8	2/8	2/8	2/8	2/8	2/8	2/8
	Multi-Temperature Drawer Dynamic 0° Temp. Range (°C) Gas Type	-2/2	-2/2	-2/2	-2/2	-2/2	-2/2	-2/2
	Dynamic 0° Compartment (°C)	-	-	-	-2/2	-2/2	-	-
	Preserve & Age Red Wine Cell (°C)	4/12	4/12	4/12	-	-	-	-
	Independent Temperature Control	yes	yes	yes	yes	yes	yes	yes
	Autonomy in case of Blackout (h)	15	15	15	15	15	15	15
	Freezing Capacity (kg/24h)	10	10	15	15	15	15	15

TECHNICAL SPECIFICATIONS BUILT-IN

		60cm Wine Cellar - Built-In KRVB 6031	60cm Wine Cellar - Built-In KRVB 6031 L	90cm Wine Cellar - Built-In KRVB 9031 L
Special Functions	Fast Cooling	yes	yes	yes
	Fast Freezing	yes	yes	yes
	Vacation Mode	yes	yes	yes
	Bottle Cooler	yes	yes	yes
	Triple Zone	yes	yes	yes
User Interface	Control Type	electronic	electronic	electronic
	Display Type	digital	digital	digital
	Blackout Memory	yes	yes	yes
	Door Open Alarm	yes	yes	yes
	High-Temperature Alarm	yes	yes	yes
Wine Cellar/ Fridge Cell	No-Frost	yes	yes	yes
	Even Airflow System	yes	yes	yes
	Dynamic 0° Drawer	-	-	-
	Soft Closing System	-	-	-
	Number of Shelves	9	9	9
	Type of Shelves	wood	wood	wood
	Number of Adjustable Balconies	-	-	-
	LEDs - Cell Lighting System	yes	yes	yes
	Sliding Shelves	yes	yes	yes
	Anti-Vibration System	yes	yes	yes
	Preserve & Age Red Wine Cell	yes	yes	yes
	Three Layers of Protection	yes	yes	yes

90cm Bottom Mount - Built-In KRXB 9031	90cm Bottom Mount - Built-In KRXB 9031 L	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011 L
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	-	-
electronic	electronic	electronic	electronic
digital	digital	digital	digital
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes, 2	yes, 2	-	-
yes	yes	-	-
4	4	4	4
glass	glass	glass	glass
3	3	3	3
yes	yes	yes	yes
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

TECHNICAL SPECIFICATIONS BUILT-IN

		60cm Wine Cellar - Built-In KRVB 6031	60cm Wine Cellar - Built-In KRVB 6031 L	90cm Wine Cellar - Built-In KRVB 9031 L
Multi-Temperature Drawer	Defrosting System	no-frost	no-frost	no-frost
	Number of Drawers	2	2	2
Accessories	Water Filter	-	-	-
Technical Details	Noise (dBA)	44	44	44
	Voltage/Frequency (V/Hz)	220-240/50	220-240/50	220-240/50
	Connection Rating / Power (W)	1/260	1/260	1,23/367
	Energy Consumption (kWh/24h/kWh/year)	0,78/285	0,78/285	0,93/340
	Product Dimensions (h/w/d) (mm x mm x mm)	2050 x 587 x 575	2050 x 587 x 575	2050 x 887 x 575
	Cut-out Dimensions (h/w/d) (mm x mm x mm)	2064 x 600 x 605	2064 x 600 x 605	2064 x 900 x 605
	Packed Dimensions (h/w/d) (mm x mm x mm)	2230 x 650 x 800	2230 x 650 x 800	2230 x 950 x 800
	Estimated Net Weight / Gross Weight (kg/kg)	175/195	175/195	215/235

90cm Bottom Mount - Built-In KRXB 9031	90cm Bottom Mount - Built-In KRXB 9031 L	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011	90cm Bottom Mount - Built-In (No Dynamic 0°) KRXB 9011 L
no-frost	no-frost	no-frost	no-frost
2	2	2	2
yes	yes	yes	yes
44	44	44	44
220-240/50	220-240/50	220-240/50	220-240/50
1,23/367	1,23/367	1,23/367	1,23/367
1,29/474	1,29/474	1,12/409	1,12/409
2050 x 887 x 575	2050 x 887 x 575	2050 x 887 x 575	2050 x 887 x 575
2064 x 900 x 605	2064 x 900 x 605	2064 x 900 x 605	2064 x 900 x 605
2230 x 950 x 800	2230 x 950 x 800	2230 x 950 x 800	2230 x 950 x 800
205/225	205/225	190/210	190/210

TECHNICAL SPECIFICATIONS INTEGRATED

INTEGRATED		60cm Wine Cellar - Integrated KRVF 6030 - KRVF 6035	60cm Wine Cellar - Integrated KRVF 6030 L - KRVF 6035 L	90cm Wine Cellar - Integrated KRVF 9030 L - KRVF 9035 L	90cm Bottom Mount - Integrated KRXF 9030 - KRXF 9035	90cm Bottom Mount - Integrated KRXF 9030 L - KRXF 9035 L	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 - KRXF 9015	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 L - KRXF 9015 L
Configuration	Multi-Temperature Drawer Capacity (l)	55	55	96	96	96	96	96
	Wine Cellar/Fridge Capacity (liter/bottle)	147/30	147/30	220/54	220/-	220/-	360/-	360/-
	Dynamic 0° Compartment (l)	-	-	-	113	113	113	113
	Preserve & Age Red Wine Cell (liter/bottle)	73/15	73/15	113/27	-	-	-	-
	Dual Movement Hinges	yes	yes	yes	yes	yes	yes	yes
	Door Hinges	right	left	left	right	left	right	left
	Ice Maker	-	-	-	yes	yes	yes	yes
	Cavity Material	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white	stainless steel painted in white
	Energy Class	A+	A+	A+	A+	A+	A+	A+
	Star Rating	4	4	4	4	4	4	4
	Climatic Class	SN/T	SN/T	SN/T	SN/T	SN/T	SN/T	SN/T
	Gas Type	R600a	R600a	R600a	R600a	R600a	R600a	R600a
Cooling & Freezing Functions	Refrigerator Temperature Range (°C)	4/12	4/12	4/12	2/8	2/8	2/8	2/8
	Multi-Temperature Drawer Freezer Function Temp. Range (°C)	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15	-22/-15
	Multi-Temperature Drawer Refrigerator Function Temp. Range (°C)	2/8	2/8	2/8	2/8	2/8	2/8	2/8
	Multi-Temperature Drawer Dynamic 0° Temp. Range (°C) Gas Type	-2/2	-2/2	-2/2	-2/2	-2/2	-2/2	-2/2
	Dynamic 0° Compartment (°C)	-	-	-	-2/2	-2/2	-	-
	Preserve & Age Red Wine Cell (°C)	4/12	4/12	4/12	4/12	4/12	4/12	4/12
	Independent Temperature Control	yes	yes	yes	yes	yes	yes	yes
	Autonomy in case of Blackout (h)	15	15	15	15	15	15	15
	Freezing Capacity (kg/24h)	10	10	15	15	15	15	15

TECHNICAL SPECIFICATIONS INTEGRATED

		60cm Wine Cellar - Integrated KRVF 6030 - KRVF 6035	60cm Wine Cellar - Integrated KRVF 6030 L - KRVF 6035 L	90cm Wine Cellar - Integrated KRVF 9030 L - KRVF 9035 L
Special Functions	Fast cooling	yes	yes	yes
	Fast Freezing	yes	yes	yes
	Vacation Mode	yes	yes	yes
	Bottle Cooler	yes	yes	yes
	Triple Zone	yes	yes	yes
User Interface	Control Type	electronic	electronic	electronic
	Display Type	digital	digital	digital
	Blackout Memory	yes	yes	yes
	Door Open Alarm	yes	yes	yes
	High-Temperature Alarm	yes	yes	yes
Wine Cellar/ Fridge Cell	No-Frost	yes	yes	yes
	Even Airflow System	yes	yes	yes
	Dynamic 0° Drawer	-	-	-
	Soft Closing System	-	-	-
	Number of Shelves	9	9	9
	Type of Shelves	wood	wood	wood
	Number of Adjustable Balconies	-	-	-
	LEDs - Cell lighting System	yes	yes	yes
	Sliding Shelves	yes	yes	yes
	Anti-Vibration System	yes	yes	yes
	Preserve & Age Red Wine Cell	yes	yes	yes
	Three Layers of Protection	yes	yes	yes

90cm Bottom Mount - Integrated KRXF 9030 - KRXF 9035	90cm Bottom Mount - Integrated KRXF 9030 L - KRXF 9035 L	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 - KRXF 9015	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 L - KRXF 9015 L
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	-	-
electronic	electronic	electronic	electronic
digital	digital	digital	digital
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes	yes	yes	yes
yes, 2	yes, 2	-	-
yes	yes	-	-
4	4	4	4
glass	glass	glass	glass
3	3	3	3
yes	yes	yes	yes
-	-	-	-
-	-	-	-
-	-	-	-
yes	yes	yes	yes

TECHNICAL SPECIFICATIONS INTEGRATED

		60cm Wine Cellar - Integrated KRVF 6030 - KRVF 6035	60cm Wine Cellar - Integrated KRVF 6030 L - KRVF 6035 L	90cm Wine Cellar - Integrated KRVF 9030 L - KRVF 9035 L
Multi-Temperature Drawer	Defrosting System	no-frost	no-frost	no-frost
	Number of Drawers	2	2	2
Accessories	Water Filter	-	-	-
Technical Details	Noise (dBA)	44	44	44
	Voltage/Frequency (V/Hz)	220-240/50	220-240/50	220-240/50
	Connection Rating / Power (W)	1/260	1/260	1,23/367
	Energy Consumption (kWh/24h/kWh/year)	0,78/285	0,78/285	0,93/340
	Product Dimensions (h/w/d) (mm x mm x mm)	2050 x 587 x 658	2050 x 587 x 658	2050 x 887 x 658
	Cut-out Dimensions (h/w/d) (mm x mm x mm)	2064 x 600 x 605	2064 x 600 x 605	2064 x 900 x 605
	Packed Dimensions (h/w/d) (mm x mm x mm)	2230 x 650 x 800	2230 x 650 x 800	2230 x 950 x 800
	Estimated Net Weight / Gross Weight (kg/kg)	210/230	210/230	275/295

		90cm Bottom Mount - Integrated KRXF 9030 - KRXF 9035	90cm Bottom Mount - Integrated KRXF 9030 L - KRXF 9035 L	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 - KRXF 9015	90cm Bottom Mount - Integrated (No Dynamic 0°) KRXF 9010 L - KRXF 9015 L
Multi-Temperature Drawer	Defrosting System	no-frost	no-frost	no-frost	no-frost
	Number of Drawers	2	2	2	2
Accessories	Water Filter	yes	yes	yes	yes
Technical Details	Noise (dBA)	44	44	44	44
	Voltage/Frequency (V/Hz)	220-240/50	220-240/50	220-240/50	220-240/50
	Connection Rating / Power (W)	1,23/367	1,23/367	1,23/367	1,23/367
	Energy Consumption (kWh/24h/kWh/year)	1,29/474	1,29/474	1,29/409	1,29/409
	Product Dimensions (h/w/d) (mm x mm x mm)	2050 x 887 x 658	2050 x 887 x 658	2050 x 887 x 658	2050 x 887 x 658
	Cut-out Dimensions (h/w/d) (mm x mm x mm)	2064 x 900 x 605	2064 x 900 x 605	2064 x 900 x 605	2064 x 900 x 605
	Packed Dimensions (h/w/d) (mm x mm x mm)	2230 x 950 x 800	2230 x 950 x 800	2230 x 950 x 800	2230 x 950 x 800
	Estimated Net Weight / Gross Weight (kg/kg)	260/280	260/280	245/265	245/265

INSTALLATION NICHE WIDTH FOR COMBINATIONS

	LATERAL LINKING KIT (mm)	UNIT (mm)	CENTRAL LINKING KIT (mm)	UNIT (mm)	LATERAL LINKING KIT (mm)	TOTAL NICHE (mm)
90CM + 60CM	6,5	887	13	587	6,5	**1.550**
90CM + 90CM	**6,5**	**887**	13	887	6,5	**1.850**

TECHNICAL DRAWINGS BUILT-IN

















FREE STANDING SHELL KITS

SERIES	WIDTH STAINLESS STEEL SHELL KITS
60cm	650 mm
90cm	950 mm
90cm+60cm	1550 mm
90cm+90cm	1850 mm



D R Kitchen Appliances Ltd
91 Goswell Road
London EC1V 7EX

Customer Service
t: 0800 988 1266

Website
kitchenaid.co.uk

FOR THE WAY IT'S MADE

® Registered trademark / ™ trademark | The shape of the standard mixer is a registered trademark of KitchenAid U.S.A.
Characteristics and technical data are subject to variations without warning.

Graphic Design and Art Direction: 4mmg.it | 3D **Renders:** Marulli Studio www.marulli.it | Printed in Italy by Grafiche SIZ

WWW.KITCHENAID.EU